

Estimating zebra mussels densities using distance sampling

Jake Ferguson, Michael McCartney, and John Fieberg

The University of Minnesota
Minnesota Aquatic Invasive Species Research Center

10/16/2018

Background



photo: Naomi Blinick


Reliably count zebra mussels at low densities



- ▶ Assess control efficacy
- ▶ Determine conditions that promote growth

photo: Naomi Blinick

Benefits of using a formal survey design




- ▶ Ensure sample is representative of the population
- ▶ Control the amount of area surveyed
 - ▶ Determine **uncertainty** in density

Distance sampling




image: Thomas Ostendorf


An approach for low and intermediate densities



Lake survey: summer 2017



Distance and detectability



The payoff

X : is the number of zebra mussels detected

A : is the amount of area surveyed

P : is the detection probability of detecting a zebra mussel
($P = 0.60$)

- ▶ Observed density: $\frac{X}{A} = 0.08$
- ▶ Estimated density: $\frac{X}{PA} = 0.25$ (SE = 0.09)

Investigating survey tradeoffs



image: Thomas Ostendorf

The fast/slow tradeoff

Should we go fast and cover lots of area, but maybe miss some mussels?

or

Should we go slow and detect everything, but cover less area?





image: minutephysics(youtube.com)

Controlling effort through design


Distance sampling

(fast and imperfect detection)






Quadrat sampling

(slow and perfect detection)




Lake surveys: summer 2018




Time budget approach


- ▶ Time to **setup** each transect
- ▶ Time to conduct each **survey**
- ▶ Time to **move** between transects




Time to perform transect setup & search



Number of transects that can be completed



Impacts of the time budget on estimates



Conclusions

- ▶ **Distance sampling** is an attractive approach at low-densities
 - ▶ Requires two observers
- ▶ At higher densities **quadrat surveys** are more efficient
- ▶ Still working on exploring how survey area and efficiency trade off more generally

Acknowledgements

Naomi Blinick

Leslie Schroeder

Sarah Baker

Aislyn Keyes

Austin Hilding

Thomas Ostendorf

Kylie Cattoor

Keegan Lund

John Fieberg

Michael McCartney

Steve McComas

Rich Rezanka


Tom Jones



▶ Contact me: Jake Ferguson (jakeferg@umn.edu)

Estimated detection function

Lake Burgan



Time it takes to move between transects

